



Effect of Education on Knowledge and Attitude Level Related to Vitamin D in Pharmacy Students

Amelia Lorensia^{1,*}, Rifaatul Laila Mahmudah², Matina Naim¹, Dian Natasya Raharjo¹

¹Departemen Farmasi Klinis-Komunitas, Fakultas Farmasi, Universitas Surabaya, Surabaya, Indonesia

²Kesehatan Masyarakat, Sekolah Tinggi Ilmu Kesehatan Majapahit, Mojokerto, Indonesia

*Corresponding author: amelia.lorensia@gmail.com; amelia.lorensia@staff.ubaya.ac.id

Abstract

Indonesia is a country located in the tropics with sun exposure throughout the season. Sun exposure is the best source of vitamin D and there have been no cases of vitamin D intoxication due to excessive sun exposure. Pharmacy students tend to lack knowledge of vitamin D. Changes in lifestyle and modernization lead to high use of sunscreens which can lead to a decrease in the synthesis of vitamin D in the skin. This research was conducted to determine the differences in knowledge and attitudes towards sun exposure using cross sectional method on 100 first semester pharmacy students and 100 final semester students. Test differences in aspects of knowledge and attitudes using odds ratios. The results of the knowledge aspect odds ratio test are 1,000 and the attitude aspect odds ratio test results were 0.583 so that it can be concluded that both knowledge and attitudes towards sun exposure have the same risk tendency for first semester and final semester pharmacy students.

Keywords: attitude, knowledge, pharmacy, vitamin D

Received: 18 August 2023

Accepted: 12 December 2023

DOI: <https://doi.org/10.25026/jtpc.v7i2.594>



Copyright (c) 2023, Journal of Tropical Pharmacy and Chemistry. Published by Faculty of Pharmacy, University of Mulawarman, Samarinda, Indonesia. This is an Open Access article under the CC-BY-NC License.

How to Cite:

Lorensia, A., Mahmudah, R. L., Naim, M., Raharjo, D. N., 2023. Effect of Education on Knowledge and Attitude Level Related to Vitamin D in Pharmacy Students. *J. Trop. Pharm. Chem.* 7(2). 123-132. DOI: <https://doi.org/10.25026/jtpc.v7i2.594>

1 Introduction

Indonesia is a country located in the tropics with sun exposure throughout the season. Exposure to sunlight is one of the most abundant sources of vitamin D in Indonesia, which is exposed to sunlight all year round. Vitamin D is not as well-known as other vitamins, because most people think that vitamin D is easy to get [1,2]. Sun exposure is the best source of vitamin D and there are no cases of vitamin D intoxication due to excessive sun exposure [3]. Lack of exposure to sunlight is still one of the main problems in the health sector [4]. Deficiency of vitamin D can cause skin cancer, osteoporosis, hypertension, obesity and others [5,6].

Nearly 1 billion people worldwide are deficient in vitamin D [7,8]. Vitamin D deficiency is influenced by lifestyle. A low lifestyle tends to avoid sun exposure [9]. Data shows that nearly 1/3 of the American population is deficient in vitamin D [10]. Meanwhile in Europe, Australia, South America, Saudi Arabia, the United Arab Emirates, Turkey, India, Lebanon, around 30-50% have a high risk of vitamin D deficiency. In South Asia it is estimated that around 70% while in Southeast Asia between 6-70% of adults are at risk of vitamin D deficiency [11,12]. Sources of vitamin D are sun exposure, food and supplements. Foods rich in vitamin D such as milk, eggs, fish, shrimp, cheese, fish oil, spinach, soybeans. Even though the main source for the body is exposure to sunlight, it still requires food, because without food ingredients containing provitamin D, the process of forming vitamin D with the help of sunlight will not occur [13,14]. Lack of knowledge about vitamin D is a factor in the occurrence of vitamin D deficiency [15]. A person's knowledge determines his attitude, the better the knowledge, the better the attitude of a person. This study was conducted to determine differences in knowledge and attitudes towards sun exposure in pharmacy students in the early and final semesters. The indicators used to determine

knowledge and attitudes towards light exposure use a questionnaire [16,17].

According to research by Malaeb et al. [18], chose pharmacy students because pharmacy students tend to lack vitamin D knowledge, but later as pharmacists they should have capacity on drug therapy and collaborate in monitoring and optimizing vitamin D supplements in all patients, especially those at high risk. The Ministry of Health of the Republic of Indonesia, has made the problem of lack of sun exposure a nutritional status problem that needs to be identified and paid attention to. To support the government program, the involvement and active role of health workers is needed. The role of pharmacy according to APTFI (2013) [19], is being able to prepare information about drugs and treatment, being able to manage information services, consultations, education about drugs and treatment as well as preventive measures. This research is the initial data to describe students, especially students in the health sector, including pharmacy. The purpose of this study was to determine differences in knowledge and attitudes towards sun exposure in pharmacy students in the early and final semesters.

2 Experimental section

2.1 Research design

This type of research is a cross sectional research design. Data collection is carried out at one time. This research was conducted by observing knowledge and attitudes towards sun exposure in pharmacy students in the early and final semesters. When the research will be carried out in September-December 2017. The research is carried out at the Faculty of Pharmacy, University of Surabaya.

2.2 Research variable

The variables of this study were pharmacy students, knowledge and attitudes towards sun

exposure. In the first semester of pharmacy students, it is assumed that students are experiencing changes in the environment from high school to college, so they have to adapt to a new environment. A final semester pharmacy student is someone who is in a period of study for more than 4 years or has taken a final assignment in the form of a thesis.

The level of knowledge was measured by a questionnaire, included: what is vitamin D, sources of vitamin D, benefits of vitamin D, due to lack of vitamin D, can sunlight produce vitamin D, is sunlight harmful to the skin, is it a good time to be exposed to direct sunlight, how much is it? the length of time it takes the body to be exposed to sunlight. The level of attitude was measured by a questionnaire, included: how often do you travel or take a walk in direct sunlight, how long per day are exposed to direct sunlight avoiding sun exposure, reasons for avoiding sun exposure, whether to use skin protection equipment, whether to take supplements, whether to use sufficient vitamin D in the body [17,20,21,22].

2.3 Population and Sample

The population of this study were students of the Faculty of Pharmacy at the University of Surabaya. The sample in this study were pharmacy students in the first semester and final semester pharmacy students who met the inclusion and exclusion criteria and were willing to fill out a questionnaire at the University of Surabaya. The criteria for research subjects were not having mental disorders/disabilities, and not suffering from skin cancer. In this study for sampling using non-probability sampling technique by quota sampling.

The calculation of the subject size uses the formula in equation 1.

$$n = \frac{N}{1 + N (d^2)} \quad (\text{Equation 1})$$

Information :

n = sample size

N = population size

d = desired level of confidence or degree of accuracy (0.1)

From the results of the calculation of the formula equation 1, it can be seen that there are

2294 students who are active in the first semester and final semester students who are still active as a population. The minimum target sample to be taken as respondents is 100 first semester pharmacy students and 100 final semester pharmacy students.

2.4 Data analysis

The stages of processing data from this research are as follows:

1. Data coding (data coding), data coding is a process of systematically compiling raw data (which is in the questionnaire) into a form that is easier to read by data processing machines with the help of the SPSS software program for windows version 24.
2. The data that has been obtained from the questionnaire is then analyzed to compare knowledge and attitudes towards sun exposure in pharmacy students in the early and final semesters.

Knowledge classification is divided into 2 groups, namely: A score of 75% and above was classified as having good knowledge and <74% as less. Meanwhile, attitude classification is divided into 2 groups, a score of 75% and above was classified as having good attitude and <74% as less [23].

3 Results and Discussion

3.1 Questionnaire Test Results

The validation process was carried out on 30 people with characteristics appropriate to the research respondents, namely active students at the Faculty of Pharmacy at the University of Surabaya (they will not be involved as research respondents). The results of the validity test showed that all knowledge questions on sun exposure were declared valid, because the value of r_{count} (Corrected Item-Total Correlation) $> r_{\text{table}}$ was 0.361. The reliability test was carried out on the knowledge question item on sun exposure which was declared reliable because it had a Cronbach Alpha value of 0.61-0.80. The results of the validity test showed that all attitude questions regarding sun exposure were declared valid, because the r_{count} (Corrected Item-Total Correlation) $> r_{\text{table}}$ was 0.361 (Table 1).

Table 1. Validity and Reliable Test of Knowledge on Sun Exposure

No	Question	Validity Test		Reliability Test	
		Corrected Item-Total Correlation	Conclusion	Cronbach's Alpha	Conclusion
1.	a. Know about vitamin D	0,486	Valid	0,622	11
	b. If yes, that is known regarding vitamin D				
2.	Source information about vitamin D	0,370	Valid		
3.	Source greatest vitamin D	0,439	Valid		
4.	Benefits of vitamin D for body	0,442	Valid		
5.	Consequence from vitamin D deficiency	0,373	Valid		
6.	Reason body vitamin D deficiency	0,447	Valid		
7.	a. Ray sun can help produce vitamin D	0,439	Valid		
	b. If yes, the reason				
8.	a. Ray sun dangerous for skin	0,438	Valid		
	b. If yes, the reason				
9.	Good time for caught exposure ray sun in a manner direct to the body get vitamin D	0,455	Valid		
10.	The length of time needed by the body for exposed ray sun in a manner directly to get vitamin D	0,381	Valid		
11.	Good amount of SPF (Sun Protection Factor). for body	0,528	Valid		

Table 2. Profile Answers Knowledge related to Vitamin D

No.	Question	Answer	Group			
			First semester		Final semester	
			Frequency (n:100)	Percentage (%)	Frequency (n:100)	Percentage (%)
1.	Know about vitamin D	Yes	93	93.00	83	83.00
		No	7	7.00	17	17.00
	If yes, that is known regarding vitamin D	Vitamins for health bone	63	63.00	53	53.00
		Derived vitamins from ray sun	7	7.00	10	10.00
		Fat soluble vitamins	5	5.00	9	9.00
		Absorption calcium in the intestine	16	16.00	3	3.00
		For defense body	2	2.00	8	8.00
2.	Source information about vitamin D*	Pharmacists/nurses/doctors/other health workers	16	16.00	26	26.00
		Family	22	22.00	23	23.00
		Book	51	51.00	56	56.00
		School	71	71.00	62	62.00
		Other	8	8.00	26	26.00
3.	Source greatest vitamin D	Vitamins or supplements	4	4.00	17	17.00
		Vegetable	4	4.00	7	7.00
		Sun	77	77.00	64	64.00
		Meat	7	7.00	6	6.00
		Other	4	4.00	1	1.00
		Don't know	4	4.00	5	5.00
4.	Benefits of vitamin D for body*	For skin health	2	2.00	7	7.00
		For bone health	99	99.00	78	78.00
		Prevent jaundice in babies	-	-	1	1.00
		Prevent cancer	-	-	1	1.00
		For the body's immune system	11	11.00	7	7.00
		Don't know	5	5.00	7	7.00
5.	Consequence from vitamin D deficiency*	Cancer	7	7.00	20	20.00
		Obesity	6	6.00	4	4.00
		Increased cholesterol	3	3.00	3	3.00
		Bone disease	95	95.00	89	89.00
		High blood pressure	6	6.00	5	5.00
		Other	2	2.00	-	-
6.	Reason body vitamin D deficiency*	Use of an umbrella during the day	31	31.00	32	32.00
		Sunbathing on the beach during the day	4	4.00	9	9.00
		Do regular physical activity	3	3.00	12	12.00
		Wear closed clothes	33	33.00	43	43.00
		Use sunscreen	56	56.00	35	35.00
		Other	3	3.00	5	5.00
		Don't know	5	5.00	5	5.00

Table 2. Continue.....

No.	Question	Answer	Group			
			First semester		Final semester	
			Frequency (n:100)	Percentage (%)	Frequency (n:100)	Percentage (%)
7.	Ray sun can help produce vitamin D If yes, the reason	Yes	49	49.00	38	38.00
		No	51	51.00	62	62.00
		Good for bone health	19	19.00	8	8.00
		Sunlight is the main source of vitamin D	14	14.00	9	9.00
		Increases the synthesis of vitamin D with the help of UV sunlight	10	10.00	3	3.00
		Converts provitamin D to vitamin D	6	6.00	17	17.00
		Helps absorption of calcium in the intestine	-	-	1	1.00
8.	Ray sun dangerous for skin	Yes	81	81.00	75	75.00
		No	8	8.00	15	15.00
		Don't know	11	11.00	10	10.00
	If yes, the reason:	Exposure during the day	8	8.00	10	10.00
		Exposure too long and too often	12	12.00	7	7.00
		UV rays from the sun	2	2.00	16	16.00
		Causes skin problems	22	22.00	12	12.00
		The skin darkens	8	8.00	5	5.00
		Skin cancer	27	27.00	25	25.00
		Harm the health of the eyes, skin and body	2	2.00	-	-
	If not, the reason:	Sunlight has its benefits	2	2.00	3	3.00
		Sunlight is a source of vitamin D	4	4.00	1	1.00
		Sunlight is good for health	2	2.00	11	11.00
9.	good time for caught exposure ray sun in a manner direct to the body get vitamin D	06.00-10.00 WIB	98	98.00	96	96.00
		10.00-14.00 WIB	2	2.00	3	3.00
		14.00-17.00 WIB	-	-	1	1.00
10.	The length of time needed by the body for exposed ray sun in a manner directly to get vitamin D	5-15 minutes	42	42.00	23	23.00
		15-30 minutes	34	34.00	58	58.00
		30-60 minutes	24	24.00	13	13.00
		>1 hour	-	-	5	5.00
		Don't know	-	-	1	1.00
11.	Good amount of SPF (Sun Protection Factor). for body	< 15	19	19.00	8	8.00
		>15	43	43.00	48	48.00
		Don't know	38	38.00	44	44.00

*) answer can more from 1

3.2 Characteristics of Respondents

The first semester of pharmacy students consists of 100 people, while the final semester of pharmacy students consists of 100 people. Pharmacy student respondents in the early and final semesters were 200 people. It is known that the frequency distribution of gender in first semester pharmacy students is 24% for males, while 76% for females. The number of male final semester pharmacy students is 29% while the female is 71%. The number of pharmacy students in the first semester and final semester is more female than male.

Gender can affect research results. Women in this study had better knowledge about sun protection and the use of sunscreen, so that the use of sunscreen was higher than men. This would affect respondents' attitudes towards sun exposure [16,24].

3.3 Frequency Distribution of Knowledge related to Vitamin D

Research on knowledge of sun exposure in pharmacy students in the first semester and the final semester was carried out giving a score to each question item answered by each respondent (Table 2).

Based on the SPSS results, the odd ratio test results for knowledge related to vitamin D where the OR value was 1.000 with a significance level of CI95% 0.197–5.078 showed that in the first semester the risk of poor knowledge was 1 times higher than in the final semester, so final semester pharmacy students had good knowledge compared to early semester pharmacy students. Based on the results of the analysis using the chi-square test to see the differences in knowledge related to vitamin D between the early and final semester groups, the results showed that there was no significant difference between the two (p value>

0.05), indicating that there was no significant difference in knowledge of vitamin D. Sun exposure in pharmacy students in the first and final semesters.

3.4 Attitude Risk Comparison Test Results related to Vitamin D

Research regarding attitudes towards sun exposure in pharmacy students in the first and final semesters was carried out by giving a score to each question item answered by each respondent (Table 3).

Table 3. Profile Answers Attitude related to Vitamin D

No.	Question	Answer	Group			
			First semester		Final semester	
			Frequency (n:100)	Percentage (%)	Frequency (n:100)	Percentage (%)
1.	Travel often or take a walk below ray sun in a way direct	Yes	74	74.00	78	78.00
		No	26	26.00	22	22.00
2.	Long exposure ray sun in a way direct every day	<5 minutes per day	8	8.00	5	5.00
		5-10 minutes/day	20	20.00	28	28.00
		10-15 minutes/day	40	40.00	28	28.00
		15-30 minutes/day	32	32.00	39	39.00
3.	Avoid exposure ray sun in a way direct	Yes	79	79.00	64	64.00
		No	21	21.00	36	36.00
	If yes , the reason:	Midday sunlight is not good for the body	10	10	-	-
		Causes skin problems	7	7.00	8	8.00
		Heat from sunlight (UV)	16	16.00	13	13.00
		Causes black/dark skin	40	40.00	35	35.00
		Sweaty and uncomfortable	6	6.00	4	4.00
		Lifestyle	-	-	1	1.00
		Skin cancer	-	-	3	3.00
4.	Use tool protector skin from exposure ray sun in a way direct	Yes	93	93.00	87	87.00
		No	7	7.00	13	13.00
	* Protective equipment used:	Umbrella	25	25.00	16	16.00
		Hat	18	18.00	13	13.00
		Jacket	49	49.00	76	76.00
		Veil solar / sunblock	55	55.00	56	56.00
		Other	6	6.00	6	6.00
		Don't use it tool protector	2	2.00	1	1.00
5.	Reasons to use tool protector	Easy to use , easy attainable and effective	32	32.00	17	17.00
		Protect skin from hot ray sun (UV)	22	22.00	30	30.00
		Protect skin so that it doesn't dark , burning and cancerous	6	6.00	2	2.00
		Protect skin so that it doesn't dark (scorched)	16	16	30	30.00
		Guard health skin	13	13	4	4.00
		Protect skin when drive	2	2	2	2.00
		Protect head	-	-	1	1.00
		Multifunction	2	2.00	1	1.00
6.	Consume supplement	Yes (contains vitamin D)	1	1.00	2	2.00
		No	99	99.00	98	98.00
7.	If yes (contains vitamin D), the reason:	Guard health	1	1.00	2	2.00
8.	Vitamin D requirement in body	Yes	70	70.00	47	47.00
	Already sufficient	No	30	30.00	53	53.00
	If yes , the reason:	Frequent exposure to sunlight	10	10.00	9	9.00
		Healthy lifestyles	14	14.00	17	17.00
		Feel healthy	32	32.00	18	18.00
		Consume foods that contain vitamin D	14	14.00	3	3.00
	If not the reason:	Unhealthy lifestyle	3	3.00	4	4.00
		Feeling that the need for vitamin D is still lacking	27	27.00	49	49.00
9.	Interested For know more about vitamin D	Yes	96	96.00	92	92.00
		No	4	4.00	8	8.00
	If yes , the reason:	For health	34	34.00	21	21.00
		Increase knowledge	54	54.00	64	64.00
		Just curious	6	6.00	7	7.00
		Related to cosmetics	2	2.00	-	-
	If not , the reasons are:	Don't want to know about vitamin D	4	4.00	8	8.00

Table 4. Classification of Knowledge and Attitude related to Vitamin D

Classification Knowledge related to Vitamin D	Respondent group			
	First semester		Final Semester	
	Frequency (n:100)	Percentage (%)	Frequency (n:100)	Percentage (%)
Good	97	97.00	97	97.00
Less	3	3.00	3	3.00
Classification Attitude related to Vitamin D				
Good	10	10.00	16	16.00
Less	90	90.00	84	84.00
Total	100	100.00	100	100.00

Table 4 showed the results of the knowledge data analysis in the first semester and final semester pharmacy student groups. The initial semester pharmacy student group with good knowledge category was 97% and 97% for the final semester pharmacy student group. The number of each group for the bad knowledge category, first semester pharmacy students was 3% and final semester students were 3%. The results of attitude data analysis for groups of pharmacy students in the first and final semesters. The group of pharmacy students in the first semester with a good attitude category was 10% and 16% for the group of pharmacy students in the final semester. The number of each group for the bad attitude category, initial semester pharmacy students was 90% and final semester students was 84%. In this study, respondents were first semester pharmacy students who often traveled or took walks in direct sunlight (74%) and final semester students (78%), while students who did not often travel or take walks in direct sunlight pharmacy first semester (26%) and final semester (22%). As in the study of Zareef and Jackson [25], the majority had changed attitudes towards sun exposure by going out in the sun, while a smaller proportion consumed supplements/foods containing vitamin D.

If a person values bone health and believes that vitamin D helps with bone health, they may be more likely to take a vitamin D supplement to ensure their bone health. In addition, people should know where and how to get vitamin D, as well as how much is needed to maintain certain health benefits, which knowledge informs. On the other hand, if people do not know that vitamin D is necessary for proper bone growth and they do not know where to get vitamin D, they are more likely to take actions that ensure adequate vitamin D [26,27]. In this study, respondents from first semester pharmacy

students consumed supplements containing vitamin D to maintain health (1%), while final semester students (2%). Respondents who did not take supplements were first semester pharmacy students (99%) while final semester students (98%). Other studies recommend that prevention of vitamin D deficiency at the age of 19-50 years be carried out by consuming vitamin D supplements in an active form of at least 600 IU/day so as to prevent bone disease and muscle function [11,28].

Respondents of first semester pharmacy students regarding the need for vitamin D in the body were sufficient (70%) which was insufficient (30%) while final semester pharmacy students regarding the need for vitamin D in the body were sufficient (47%) which were insufficient (53%). Respondents of first semester pharmacy students regarding the need for vitamin D in the body is sufficient, there are various reasons for frequent exposure to sunlight (10%), healthy lifestyle (14%), feeling healthy (32%), consuming foods that contain vitamin D (14%), while final semester students had reasons for frequent exposure to sunlight (9%), a healthy lifestyle (17%), feeling healthy (18%), consuming foods containing vitamin D (3%). Respondents were interested in knowing more about vitamin D for first semester pharmacy students who answered yes (96%) no (4%) while final semester students answered yes (92%) no (8%). Respondents who answered wanted to know more about vitamin D because of health reasons (34%), increased knowledge (54%), just curious (6%), related to cosmetics (2%), while final semester students answered for health (21%), increase knowledge (64%), just curious (7%), nothing to do with cosmetics. Respondents who were not interested because they did not want to know about vitamin D for first semester pharmacy students (4%), final semester students (8%). As pharmacy students

who represent the next generation will influence the development of future health education programs, policy development, formation of social norms and beliefs about health promoting attitudes [29,30].

Comparison of the risk between the two groups of respondents can be observed from the magnitude of the POR (Prevalance Odd Ratio) where the OR value is 0.583 with a significant CI 95% 0.251-1.357 indicating that the first semester pharmacy student group has a bad attitude of 0.5 times compared to the pharmacy student group final semester or in other words the final semester pharmacy student group has a good attitude of 2 times compared to first semester pharmacy students.

In this study, the odds ratio (OR) value was 0.583. This showed that the first semester pharmacy student group has a bad attitude of 0.5 times compared to the final semester pharmacy student group. The value of the 95% confidence interval in this study was 0.251-1.357 so in other words the final semester pharmacy student group had a better attitude compared to first semester pharmacy students. The results of the chi-square statistical test obtained a p-value of 0.207. Based on the chi-square test criteria, it can be seen that p-value is > 0.05 , so it can be interpreted that there is no significant difference in attitudes towards sun exposure in pharmacy students in the early and final semesters.

Previous research by Hamhoum et al. [31], among health educators in public schools in Jeddah, menunjukkan that only 45% of health educators had good knowledge of vitamin D, and approximately 43% had a positive attitude towards vitamin D. which is insufficient when considered against the background their significant role in improving health awareness among future generations, including enhancing awareness of the importance of vitamin D and the effects of the deficiency of vitamin D on human health.

3.5 Correlation Test Results of Knowledge and Attitudes related to Vitamin D

The results of the correlation test of knowledge and attitudes towards sun exposure in pharmacy students in the first semester and in the final semester of 0.019 are in the range $> 0-0.25$, meaning that knowledge and attitudes

towards sun exposure have a very weak correlation value for pharmacy students in the first semester and final semester. These results are similar to previous research by Alkalash et al. [32], this study reveals the poor level of knowledge about vitamin D deficiency, and this negatively affected their compliance for vitamin D supplementation when having hypovitaminosis D. Positive attitude toward vitamin D deficiency among the majority of the participants was obvious and may direct them to change their behavior toward vitamin D. Therefore, this study highlights the necessity of educating and sensitizing population about vitamin D and prevention of its deficiency. Further studies using a qualitative approach are crucial to explore the underlying reasons for low knowledge about vitamin D and behaviors related to vitamin D including the intake of vitamin supplementation that may contribute to the high burden of vitamin D deficiency

4 Conclusions

There was no significant difference in the attitude towards sun exposure of pharmacy students in the first semester and the final semester. Knowledge and attitudes towards sun exposure among pharmacy students in the first semester and final semester had a very weak correlation.

5 Declarations

5.1 Acknowledgments

Thanks to University of Surabaya Research and Community Service Institute for financial support.

5.2 Author Contributions

AL, developed the concept and designed the manuscript, director, supervisor and final coordinator of manuscript; RLM and DNR provided key information and intellectual support. MN provided conducting research, collecting data and compiling manuscripts.

5.3 Funding Statement

This research was funded by the University of Surabaya Research and Community Service Institute.

5.4 Conflicts of Interest

The authors declare no conflict of interest.

5.5 Ethic

Ethical has been approved by the Commission on Health Research Ethics University of Surabaya No.034/KE/V/2017.

6 References

- [1] Aji AS, Erwinda E, Yusrawati Y, Malik SG, Lipoeto NI. Vitamin D deficiency status and its related risk factors during early pregnancy: a cross-sectional study of pregnant Minangkabau women, Indonesia. *BMC Pregnancy Childbirth*. 2019;19(1):183. Published 2019 May 22. doi:10.1186/s12884-019-2341-4
- [2] Judistiani, R.T.D., Nirmala, S.A., Rahmawati, M. *et al.* Optimizing ultraviolet B radiation exposure to prevent vitamin D deficiency among pregnant women in the tropical zone: report from cohort study on vitamin D status and its impact during pregnancy in Indonesia. *BMC Pregnancy Childbirth* **19**, 209 (2019). <https://doi.org/10.1186/s12884-019-2306-7>.
- [3] Raymond-Lezman JR, Riskin SI. Benefits and Risks of Sun Exposure to Maintain Adequate Vitamin D Levels. *Cureus*. 2023;15(5):e38578. Published 2023 May 5. doi:10.7759/cureus.38578.
- [4] Alfredsson L, Armstrong BK, Butterfield DA, et al. Insufficient Sun Exposure Has Become a Real Public Health Problem. *Int J Environ Res Public Health*. 2020;17(14):5014. Published 2020 Jul 13. doi:10.3390/ijerph17145014.
- [5] Wang H, Chen W, Li D, et al. Vitamin D and Chronic Diseases. *Aging Dis*. 2017;8(3):346-353. Published 2017 May 2. doi:10.14336/AD.2016.1021.
- [6] Álvarez-Mercado AI, Mesa MD, Gil Á. Vitamin D: Role in chronic and acute diseases. *Encyclopedia of Human Nutrition*. 2023;535-544. doi:10.1016/B978-0-12-821848-8.00101-3
- [7] Amrein, K., Scherkl, M., Hoffmann, M. *et al.* Vitamin D deficiency 2.0: an update on the current status worldwide. *Eur J Clin Nutr* **74**, 1498-1513 (2020). <https://doi.org/10.1038/s41430-020-0558-y>.
- [8] Zaki K. Hassan-Smith and others, Effect of vitamin D deficiency in developed countries, *British Medical Bulletin*, Volume 122, Issue 1, June 2017, Pages 79-89, <https://doi.org/10.1093/bmb/ldx005>.
- [9] Augustine LF, Nair KM, Kulkarni B. Sun exposure as a strategy for acquiring vitamin D in developing countries of tropical region: Challenges & way forward. *Indian J Med Res*. 2021;154(3):423-432. doi:10.4103/ijmr.IJMR_1244_18.
- [10] Parva NR, Tadepalli S, Singh P, et al. Prevalence of Vitamin D Deficiency and Associated Risk Factors in the US Population (2011-2012). *Cureus*. 2018;10(6):e2741. Published 2018 Jun 5. doi:10.7759/cureus.2741.
- [11] Nimitphong H, Holick MF. Vitamin D status and sun exposure in southeast Asia. *Dermatoendocrinol*. 2013;5(1):34-37. doi:10.4161/derm.24054.
- [12] Lips P, Cashman KD, Lamberg-Allardt C, Bischoff-Ferrari HA, Obermayer-Pietsch B, Bianchi ML, Stepan J, El-Hajj Fuleihan G, Bouillon R. Current vitamin D status in European and Middle East countries and strategies to prevent vitamin D deficiency: a position statement of the European Calcified Tissue Society. *Eur J Endocrinol*. 2019 Apr;180(4):P23-P54. doi: 10.1530/EJE-18-0736. PMID: 30721133.
- [13] AlFadhly NKZ, Alhelfi N, Altemimi AB, Verma DK, Cacciola F, Narayanankutty A. Trends and Technological Advancements in the Possible Food Applications of Spirulina and Their Health Benefits: A Review. *Molecules*. 2022;27(17):5584. Published 2022 Aug 30. doi:10.3390/molecules27175584.
- [14] Foti C, Calogiuri G, Nettis E, et al. Allergic contact dermatitis from vitamins: A systematic review. *Health Sci Rep*. 2022;5(6):e766. Published 2022 Oct 3. doi:10.1002/hsr2.766.
- [15] Suryadinata RV, Lorensia A, Aprilia AP. (2017) Profil Vitamin D Pada Pasien Asma dan Non-Asma Dewasa di Surabaya. *The Indonesian Journal of Public Health*, 12 (1). pp. 106-117. ISSN 1829-7005; e-ISSN: 2540-8836
- [16] Agarwal, S.B., Godse, K., Patil, S., Nadkarni, N. (2018). Knowledge and Attitude of General Population toward Effects of Sun Exposure and Use of Sunscreens. *Indian J Dermatol*, 63(4), 285-291.
- [17] Arora, A.U., Dixit, V., Srivastave, N. (2016). Evaluation of Knowledge, Practices of Vitamin D and Attitude Towards Sunlight Among Indian Students. *Asian J Pharm Clin Res*, 9(1), 308-13.
- [18] Malaeb, D., Hallit, S., Salameh, P. (2017). Assessment of vitamin D levels, awareness among Lebanese pharmacy students, and impact of pharmacist counseling. *J Epidemiol Glob Health*, 7(1), 55-62.
- [19] APTFI. (2013). Naskah Akademik Standar Kompetensi Lulusan Dan Standar Kurikulum Pendidikan Farmasi Program Studi Sarjana Farmasi & Profesi Apoteker. <https://www.aptfi.or.id/dokumen/2016-01->

- [01%20NA%20Kompetensi%20&%20Kur%20APTFI%202013.pdf](#)
- [20] Suryadinata, Rivan Virlando and Lorensia, Amelia and Wahyuningtyas, Dwi (2020) Studi tingkat pengetahuan mengenai vitamin D pada pengemudi becak di Surabaya. *CoMPHI Journal: Community Medicine and Public Health of Indonesia Journal*, 1 (1). pp. 15-21. ISSN -e. 2722-8169.
- [21] Lorensia A, Raharjo DN, Gandawari N. (2020). Pengaruh Pengetahuan-Sikap mengenai Vitamin D terkait Obesitas pada Mahasiswa. *Jurnal Ilmiah Ibnu Sina*, 5(1), 72-86.
- [22] Lorensia, A., Suryadinata, R.V., Amir, G.A. (2019). The Relation Between Vitamin D Level to Knowledge and Attitudes on The Exposure of Sunlight on Outpatient Asthma Patients in Surabaya. *Global Medical & Health Communication*, 7(3), 162-9.
- [23] Jamil NA, Shahudin NN, Abdul Aziz NS, Jia Qi C, Wan Aminuddin WAA, Mat Ludin AF, Chin KY, Abd Manaf Z, Mat Daud N. Knowledge, Attitude and Practice Related to Vitamin D and Its Relationship with Vitamin D Status among Malay Female Office Workers. *Int J Environ Res Public Health*. 2019;16(23):4735. doi: 10.3390/ijerph16234735.
- [24] Patel AR, Zaslow TL, Wren TAL, et al. A characterization of sun protection attitudes and behaviors among children and adolescents in the United States. *Prev Med Rep*. 2019;16:100988. Published 2019 Sep 9. doi:10.1016/j.pmedr.2019.100988.
- [25] Zareef TA, Jackson RT. Knowledge and attitudes about vitamin D and sunlight exposure in premenopausal women living in Jeddah, and their relationship with serum vitamin D levels. *J Health Popul Nutr*. 2021;40(1):38. Published 2021 Aug 28. doi:10.1186/s41043-021-00263-w.
- [26] LeBoff MS, Chou SH, Murata EM, et al. Effects of Supplemental Vitamin D on Bone Health Outcomes in Women and Men in the VITamin D and Omega-3 Trial (VITAL). *J Bone Miner Res*. 2020;35(5):883-893. doi:10.1002/jbmr.3958.
- [27] Emadzadeh M, Mehdizadeh A, Sharifan P, et al. The Effects of Vitamin D Fortified Products on Bone Biomarkers: A Systematic Review and Meta-Analysis. *Iran J Public Health*. 2022;51(2):278-291. doi:10.18502/ijph.v51i2.8681.
- [28] Gunton JE, Girgis CM. Vitamin D and muscle. *Bone Rep*. 2018;8:163-167. Published 2018 Apr 18. doi:10.1016/j.bonr.2018.04.004.
- [29] Alsharif NZ, Brennan L, Abrons JP, Chahine EB. An Introduction to Cultural Sensitivity and Global Pharmacy Engagement. *Am J Pharm Educ*. 2019;83(4):7221. doi:10.5688/ajpe7221.
- [30] Shah B, Rahim H, Yin H, Bhavsar J. Pharmacy students' attitudes toward a required public health course and developing a public health program. *Am J Pharm Educ*. 2009;73(7):134. doi:10.5688/aj7307134
- [31] Hamhoum AS, Aljefree NM. Knowledge and Attitudes towards Vitamin D among Health Educators in Public Schools in Jeddah, Saudi Arabia: A Cross-Sectional Study. *Healthcare (Basel)*. 2022;10(12):2358. Published 2022 Nov 24. doi:10.3390/healthcare10122358.
- [32] Alkalash SH, Odah M, Alkenani HH, et al. Public Knowledge, Attitude, and Practice Toward Vitamin D Deficiency in Al-Qunfudhah Governorate, Saudi Arabia. *Cureus*. 2023;15(1):e33756. Published 2023 Jan 13. doi:10.7759/cureus.33756